Welcome to STN International Web Page URLs for STN Seminar Schedule - N. America NEWS BLAST(R) searching in REGISTRY available in STN on the Web NEWS Jan 25 NEWS Jan 29 FSTA has been reloaded and moves to weekly updates NEWS Feb 01 DKILIT now produced by FIZ Karlsruhe and has a new update Access via Tymnet and SprintNet Eliminated Effective 3/31/02 NEWS Feb 19 NEWS Mar 08 Gene Names now available in BIOSIS NEWS 7 Mar 22 TOXLIT no longer available NEWS 8 Mar 22 TRCTHERMO no longer available US Provisional Priorities searched with P in CA/CAplus Mar 28 NEWS 9 and USPATFULL NEWS 10 Mar 28 LIPINSKI/CALC added for property searching in REGISTRY PAPERCHEM no longer available on STN. Use PAPERCHEM2 instead. NEWS 11 Apr 02 NEWS 12 "Ask CAS" for self-help around the clock Apr 08 NEWS 13 Apr 09 BEILSTEIN: Reload and Implementation of a New Subject Area NEWS 14 Apr 09 ZDB will be removed from STN US Patent Applications available in IFICDB, IFIPAT, and IFIUDB NEWS 15 Apr 19 Apr 22 Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS NEWS 16 NEWS 17 Apr 22 BIOSIS Gene Names now available in TOXCENTER NEWS 18 Apr 22 Federal Research in Progress (FEDRIP) now available NEWS 19 Jun 03 New e-mail delivery for search results now available NEWS 20 Jun 10 MEDLINE Reload NEWS 21 Jun 10 PCTFULL has been reloaded NEWS 22 Jul 02 FOREGE no longer contains STANDARDS file segment

| NEWS EXPRESS | February 1 CURRENT WINDOWS VERSION IS V6.0d, |
| CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), |
| AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002 |
| NEWS HOURS | STN Operating Hours Plus Help Desk Availability |
| General Internet Information |
| NEWS LOGIN | Welcome Banner and News Items |
| NEWS PHONE | Direct Dial and Telecommunication Network Access to STN |
| NEWS WWW | CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 18:56:07 ON 03 JUL 2002

=> fil .eliz

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'MEDLINE' ENTERED AT 18:56:25 ON 03 JUL 2002

FILE 'SCISEARCH' ENTERED AT 18:56:25 ON 03 JUL 2002 COPYRIGHT (C) 2002 Institute for Scientific Information (ISI) (R)

FILE 'LIFESCI' ENTERED AT 18:56:25 ON 03 JUL 2002 COPYRIGHT (C) 2002 Cambridge Scientific Abstracts (CSA)

```
FILE 'BIOTECHDS' ENTERED AT 18:56:25 ON 03 JUL 2002
COPYRIGHT (C) 2002 THOMSON DERWENT AND INSTITUTE FOR SCIENTIFIC INFORMATION
FILE 'BIOSIS' ENTERED AT 18:56:25 ON 03 JUL 2002
COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC. (R)
FILE 'EMBASE' ENTERED AT 18:56:25 ON 03 JUL 2002
COPYRIGHT (C) 2002 Elsevier Science B.V. All rights reserved.
FILE 'HCAPLUS' ENTERED AT 18:56:25 ON 03 JUL 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)
FILE 'NTIS' ENTERED AT 18:56:25 ON 03 JUL 2002
Compiled and distributed by the NTIS, U.S. Department of Commerce.
It contains copyrighted material.
All rights reserved. (2002)
FILE 'ESBIOBASE' ENTERED AT 18:56:25 ON 03 JUL 2002
COPYRIGHT (C) 2002 Elsevier Science B.V., Amsterdam. All rights reserved.
FILE 'BIOTECHNO' ENTERED AT 18:56:25 ON 03 JUL 2002
COPYRIGHT (C) 2002 Elsevier Science B.V., Amsterdam. All rights reserved.
FILE 'WPIDS' ENTERED AT 18:56:25 ON 03 JUL 2002
COPYRIGHT (C) 2002 THOMSON DERWENT
=> s (escherichia or coli) (5a) (nucleotid? or nucleosid?)
        17298 (ESCHERICHIA OR COLI) (5A) (NUCLEOTID? OR NUCLEOSID?)
=> 11 (5a)usha
L1 IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).
=> s l1 (5a) usha
            3 L1 (5A) USHA
L2
=> s l1 and usha
L3
          10 L1 AND USHA
=> dup rem 13
PROCESSING COMPLETED FOR L3
              5 DUP REM L3 (5 DUPLICATES REMOVED)
L4
=> d 1-5
    ANSWER 1 OF 5 HCAPLUS COPYRIGHT 2002 ACS
L4
       References
     2002:31102 HCAPLUS
AN
DN
     136:97246
     Method for producing nucleoside 5'-phosphate ester by fermentation in
TI
     strain with ushA and aphA gene mutation or disruption
     Kakehi, Masahiro; Usuda, Yoshihiro; Tabira, Yukiko; Sugimoto, Shinichi
IN
    Ajinomoto Co., Inc., Japan
PA
    Eur. Pat. Appl., 17 pp.
SO
    CODEN: EPXXDW
```

2 of 12 7/3/02 7:13 PM

APPLICATION NO. DATE

KIND DATE

DΤ

LA

Patent

FAN.CNT 1

English

PATENT NO.

```
EP 2001-114571
PΙ
     EP 1170370
                       A2
                            20020109
                                                             20010618
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO
     BR 2001002671
                       Α
                            20020305
                                           BR 2001-2671
                                                             20010704
     CN 1335403
                       Α
                            20020213
                                           CN 2001-121740
                                                             20010705
PRAI JP 2000-204260
                            20000705
                       Α
```

L4 ANSWER 2 OF 5 MEDLINE DUPLICATE 1

Full Clang Text References

- AN 2002075490 MEDLINE
- DN 21661206 PubMed ID: 11802543
- TI The role of the intracellular inhibitor of periplasmic UDP-sugar hydrolase (5'-nucleotidase) in Escherichia coli: cytoplasmic localisation of 5'-nucleotidase is conditionally lethal.
- AU Innes D; Beacham I R; Burns D M
- CS School of Biomolecular and Biomedical Science, Griffith University, Nathan, Brisbane, Qld. 4111, Australia.
- SO JOURNAL OF BASIC MICROBIOLOGY, (2001) 41 (6) 329-37. Journal code: 8503885. ISSN: 0233-111X.
- CY Germany: Germany, Federal Republic of
- DT Journal; Article; (JOURNAL ARTICLE)
- LA English
- FS Priority Journals
- EM 200206
- ED Entered STN: 20020125
 - Last Updated on STN: 20020619 Entered Medline: 20020618
- L4 ANSWER 3 OF 5 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

Full Citing Text References

- AN 2000:387548 BIOSIS
- DN PREV200000387548
- TI Essential role of the AphA periplasmic acid phosphatase in utilization of 5'-nucleotides by Escherichia coli purEK ushA phoA mutants.
- AU Laird, M. W. (1); Passariello, C.; Joly, J. C. (1); Schippa, S.; Rossolini, G. M.; Thaller, M. C.
- CS (1) Department of Cell Culture and Fermentation, R and D Genentech, Inc., San Francisco, CA USA
- Abstracts of the General Meeting of the American Society for Microbiology, (2000) Vol. 100, pp. 435-436. print.

 Meeting Info.: 100th General Meeting of the American Society for Microbiology Los Angeles, California, USA May 21-25, 2000 American Society
 - for Microbiology . ISSN: 1060-2011.
- DT Conference
- LA English
- SL English
- L4 ANSWER 4 OF 5 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

Full Citing Text References

- AN 1991:435892 BIOSIS
- DN BA92:92057
- TI ISOLATION TRANSCRIPTION AND INACTIVATION OF THE GENE FOR AN ATYPICAL ALKALINE PHOSPHATASE OF SYNECHOCOCCUS-SP STRAIN PCC 7942.
- AU RAY J M; BHAYA D; BLOCK M A; GROSSMAN A R
- CS DEP. PLANT BIOL., CARNEGIE INST. WASH., 290 PANAMA ST., STANFORD, CALIF. 94305.
- SO J BACTERIOL, (1991) 173 (14), 4297-4309. CODEN: JOBAAY. ISSN: 0021-9193.
- FS BA; OLD
- LA English
- L4 ANSWER 5 OF 5 HCAPLUS COPYRIGHT 2002 ACS

```
References
AN
     1986:473474 HCAPLUS
DN
     105:73474
ΤI
     Nucleotide sequence and transcriptional analysis of the E. coli ushA
     gene, encoding periplasmic UDP-sugar hydrolase (5'-nucleotidase):
     regulation of the ushA gene, and the signal sequence of its encoded
     protein product
ΑU
     Burns, Dennis M.; Beacham, Ifor R.
     Sch. Sci., Griffith Univ., Brisbane, 4111, Australia
Nucleic Acids Res. (1986), 14(10), 4325-42
CS
SO
     CODEN: NARHAD; ISSN: 0305-1048
DT
     Journal
     English
LΑ
=> d 3 ab
     ANSWER 3 OF 5 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
References
=> s 11 and apha
            14 L1 AND APHA
L5
=> dup rem 15
PROCESSING COMPLETED FOR L5
              4 DUP REM L5 (10 DUPLICATES REMOVED)
=> d 1-4
     ANSWER 1 OF 4 HCAPLUS COPYRIGHT 2002 ACS
L6
         Citing
        References
ΑN
     2002:31102 HCAPLUS
DN
     136:97246
ΤI
     Method for producing nucleoside 5'-phosphate ester by fermentation in
     strain with ushA and aphA gene mutation or disruption
     Kakehi, Masahiro; Usuda, Yoshihiro; Tabira, Yukiko; Sugimoto, Shinichi
IN
PΑ
     Ajinomoto Co., Inc., Japan
SO
     Eur. Pat. Appl., 17 pp.
     CODEN: EPXXDW
DT
     Patent
     English
LA
FAN.CNT 1
     PATENT NO.
                      KIND DATE
                                            APPLICATION NO. DATE
                      _ _ _ _
                            -----
                                            ______
                                                              -----
                                                              20010618
ΡI
     EP 1170370
                       A2
                             20020109
                                            EP 2001-114571
            AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO
     BR 2001002671
                                            BR 2001-2671
                                                              20010704
                             20020305
                       Α
     CN 1335403
                                            CN 2001-121740
                                                              20010705
                       Α
                             20020213
PRAI JP 2000-204260
                             20000705
                       Α
     ANSWER 2 OF 4 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
L6
       References
     2000:387548 BIOSIS
AN
DN
     PREV200000387548
     Essential role of the AphA periplasmic acid phosphatase in utilization
TI
     of 5'-nucleotides by Escherichia coli purEK ushA phoA mutants.
ΑU
     Laird, M. W. (1); Passariello, C.; Joly, J. C. (1); Schippa, S.;
     Rossolini, G. M.; Thaller, M. C.
     (1) Department of Cell Culture and Fermentation, R and D Genentech, Inc.,
CS
```

```
San Francisco, CA USA
     Abstracts of the General Meeting of the American Society for Microbiology,
SO
     (2000) Vol. 100, pp. 435-436. print.
     Meeting Info.: 100th General Meeting of the American Society for
     Microbiology Los Angeles, California, USA May 21-25, 2000 American Society
     for Microbiology
     . ISSN: 1060-2011.
DT
     Conference
LA
     English
SL
     English
     ANSWER 3 OF 4
                       MEDLINE
                                                         DUPLICATE 1
L6
         Citing
       References
AN
     91033061
                  MEDLINE
                PubMed ID: 2227449
DN
     91033061
TI
     Chloramphenicol resistance in Campylobacter coli: nucleotide sequence,
     expression, and cloning vector construction.
AU
     Wang Y; Taylor D E
     Department of Microbiology, University of Alberta, Edmonton, Canada.
CS
     GENE, (1990 Sep 28) 94 (1) 23-8.
SO
     Journal code: 7706761. ISSN: 0378-1119.
CY
     Netherlands
DT
     Journal; Article; (JOURNAL ARTICLE)
LΑ
     English
FS
     Priority Journals
os
     GENBANK-M35190
EM
     199012
     Entered STN: 19910208
ED
     Last Updated on STN: 19980206
     Entered Medline: 19901226
    ANSWER 4 OF 4 LIFESCI
                               COPYRIGHT 2002 CSADUPLICATE 2
L6
AN
     89:67352 LIFESCI
     Omegon-Km: A transposable element designed for in vivo insertional
ТT
     mutagenesis and cloning of genes in Gram-negative bacteria.
     Fellay, R.; Krisch, H.M.; Prentki, P.; Frey, J.
ΑU
     Inst. Vet. Bacteriol., Laenggasstr. 122, CH-3012 Berne, Switzerland
CS
     GENE., (1989) vol. 76, no. 2, pp. 215-226.
so
\mathbf{DT}
     Journal
FS
     J; G; N; W
     English
LA
     English
SL
```

=> d 3, 4 kwic

L6 ANSWER 3 OF 4 MEDLINE

DUPLICATE 1

Citing References

- TI Chloramphenicol resistance in Campylobacter coli: nucleotide sequence, expression, and cloning vector construction.
- AB . . . extension experiments indicated that transcription was initiated at different sites in these two species. A kanamycin-resistance determinant, identified as the aphA-3 gene, was located downstream from the cat gene. The codon usage of the cat gene is very different from that.
- L6 ANSWER 4 OF 4 LIFESCI COPYRIGHT 2002 CSADUPLICATE 2
- AB . . . the very efficient transcription and translation terminators of the Omega interposon. Internally, Omegon-Km carries the selectable kanamycin (Km)-neomycin resistance gene (aphA) which is expressed well in many Gram-negative bacteria. Preliminary experiments with other

Gram-negative soil and water bacteria (Rhizobium leguminosarum,. . presence of an E. coli -specific origin of replication (ori) within Omegon-Km allows the rapid and easy cloning, in E. ${\bf coli}$, of the nucl otide sequences flanking the site of the transposition event.

=> s kamamycin (5a) apha

L7

0 KAMAMYCIN (5A) APHA

```
=> s kanamycin (5a) apha
L8
           170 KANAMYCIN (5A) APHA
=> dup rem 18
PROCESSING COMPLETED FOR L8
             39 DUP REM L8 (131 DUPLICATES REMOVED)
=> d 1-10
L9
     ANSWER 1 OF 39
                         MEDLINE
                                                          DUPLICATE 1
          Citing
        References
     2001544699
ΑN
                     MEDLINE
DN
     21475777 PubMed ID: 11591677
TI
     Regulation of D-alanyl-lipoteichoic acid biosynthesis in Streptococcus
     agalactiae involves a novel two-component regulatory system.
ΑU
     Poyart C; Lamy M C; Boumaila C; Fiedler F; Trieu-Cuot P
     Laboratoire de Microbiologie, INSERM U-411, Faculte de Medecine
CS
     Necker-Enfants Malades, 75730 Paris Cedex 15, France.
SO
     JOURNAL OF BACTERIOLOGY, (2001 Nov) 183 (21) 6324-34.
     Journal code: 2985120R. ISSN: 0021-9193.
CY
     United States
DT
     Journal; Article; (JOURNAL ARTICLE)
LΑ
     English
     Priority Journals
FS
EΜ
     200112
ED
     Entered STN: 20011010
     Last Updated on STN: 20020122
     Entered Medline: 20011204
L9
     ANSWER 2 OF 39 WPIDS (C) 2002 THOMSON DERWENT
AN
     2000-170924 [15]
                         WPIDS
DNC
     C2000-053090
     Identification of agents that inhibit Helicobacter useful for treating or
TΤ
     preventing H. pylori infection.
DC
     B04 C03 D16
     CUSSAC, V; DE REUSE, H; LABIGNE, A; SKOULOUBRIS, S
PΑ
     (INSP) INST PASTEUR
CYC 87
ΡI
     WO 2000000634 A2 20000106 (200015)* EN
                                                       C12Q001-00
                                              40p
        RW: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW NL
            OA PT SD SE SL SZ UG ZW
         W: AE AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB
            GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU
            LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR
            TT UA UG US UZ VN YU ZA ZW
     AU 9947795
                   A 20000117 (200026)
                                                       C120001-00
     US 6190667
                   B1 20010220 (200112)
                                                       A61K039-02
     EP 1092040
                   A2 20010418 (200123) EN
                                                       C12Q001-58
         R: AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE
ADT
    WO 2000000634 A2 WO 1999-EP4490 19990629; AU 9947795 A AU 1999-47795
     19990629; US 6190667 B1 US 1998-107383 19980630; EP 1092040 A2 EP
1999-931212 19990629, WO 1999-EP4490 19990629
FDT AU 9947795 A Based on WO 200000634; EP 1092040 A2 Based on WO 200000634
```

PRAI US 1998-107383 19980630

ICM A61K039-02; C12Q001-00; C12Q001-58

ICS A61K039-106; C07K014-205; C07K016-12; C12N009-80; C12Q001-18

ANSWER 3 OF 39 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

References

- AN 2001:165612 BIOSIS
- DN PREV200100165612
- TI Identification of Helicobacter mustelae virulence factors by screening of a random insertional mutant library.
- Croinin, T. O. (1); Heerma, S. Brands; Drumm, B. (1); Vandenbroucke-ΑU Grauls, C. M. J.; Bourke, B. (1); Kusters, J. G.
- (1) University College Dublin, Dublin Ireland CS
- SO Gut, (October, 2000) Vol. 47, No. Supplement 1, pp. A62-A63. print. Meeting Info.: XIIIth International Workshop on Gastroduodenal Pathology and Helicobacter pylori Rome, Italy October 11-14, 2000 ISSN: 0017-5749.
- DT Conference
- LA English
- SLEnglish
- T.9 ANSWER 4 OF 39 MEDLINE

DUPLICATE 2

References

- AN 2000049938 MEDLINE
- PubMed ID: 10582902 DN
- TIGenetic characterization of antimicrobial resistance in Canadian isolates of Salmonella serovar Typhimurium DT104.
- ΑU Ng L K; Mulvey M R; Martin I; Peters G A; Johnson W
- Bureau of Microbiology, Laboratory Centre for Disease Control, Health Canada, Winnipeg, Manitoba, Canada.. Lai_King_Ng@hc-sc.gc.ca
- ANTIMICROBIAL AGENTS AND CHEMOTHERAPY, (1999 Dec) 43 (12) 3018-21. SO Journal code: 0315061. ISSN: 0066-4804.
- CY United States
- Journal; Article; (JOURNAL ARTICLE) DT
- LA English
- Priority Journals FS
- EΜ 200001
- Entered STN: 20000204

Last Updated on STN: 20000204 Entered Medline: 20000121

ANSWER 5 OF 39 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC. 1.9

References

- 1999:324498 BIOSIS AN
- DN PREV199900324498
- ΤI
- Identification of environmentally regulated Helicobacter pylori genes. de Vries, Nicolette (1); Kuipers, Ernst J.; Kramer, Naomi E.; Bijlsma, Jetta J. E.; van Vliet, Arnoud H. M.; Vandenbroucke-Grauls, Christina M. AU J. E.; Kusters, Johannes G.
- CS (1) Vrije Univsiteit, Amsterdam Netherlands
- SO Gastroenterology, (April, 1999) Vol. 116, No. 4 PART 2, pp. A347. Meeting Info.: Digestive Disease Week and the 100th Annual Meeting of the American Gastroenterological Association Orlando, Florida, USA May 16-19, 1999 American Gastroenterological Association . ISSN: 0016-5085.
- דת Conference
- LΑ English

ANSWER 6 OF 39 L9

DUPLICATE 3

Citing References

1999420349 MEDLINE

DN 99420349 PubMed ID: 10489329

```
A rolling-circle miniplasmid of Xanthomonas campestris pv. glycines: the
ΤI
     nucleotide sequence and its use as a cloning vector.
     Baldini R L; Tahara S T; Rosato Y B
UΑ
CS
     Institute of Biology and CBMEG, Unicamp, Cidade Universitaria, B. Geraldo,
     Campinas, SP, 13.083-970, Brazil.
SO
     PLASMID, (1999 Sep) 42 (2) 126-33.
     Journal code: 7802221. ISSN: 0147-619X.
     United States
CY
DT
     Journal; Article; (JOURNAL ARTICLE)
LΑ
     English
     Priority Journals
FS
     GENBANK-AF069766
os
ΕM
     199911
     Entered STN: 20000111
ED
     Last Updated on STN: 20000111
     Entered Medline: 19991118
     ANSWER 7 OF 39
                                                         DUPLICATE 4
                        MEDITNE
        References
     1998409723
ΑN
                    MEDLINE
DN
     98409723 PubMed ID: 9736555
TI
     Detection of Tn917-like sequences within a Tn916-like conjugative
     transposon (Tn3872) in erythromycin-resistant isolates of Streptococcus
     pneumoniae.
     McDougal L K; Tenover F C; Lee L N; Rasheed J K; Patterson J E; Jorgensen
ΑU
     J H; LeBlanc D J
     Hospital Infections Program, Centers for Disease Control and Prevention,
CS
     Atlanta, Georgia 30333, USA.
     ANTIMICROBIAL AGENTS AND CHEMOTHERAPY, (1998 Sep) 42 (9) 2312-8.
SO
     Journal code: 0315061. ISSN: 0066-4804.
CY
     United States
DT
     Journal; Article; (JOURNAL ARTICLE)
     English
LA
FS
     Priority Journals
     GENBANK-AF066796; GENBANK-AF066797
os
ΕM
     199810
ED
     Entered STN: 19981029
     Last Updated on STN: 19990129
     Entered Medline: 19981022
     ANSWER 8 OF 39
                        MEDLINE
                                                         DUPLICATE 5
        References
AN
     1999122371
                    MEDLINE
DN
     99122371 PubMed ID: 9924983
     Increased expression of a hemimethylated oriC binding protein, SeqA, in an
TI
     Kohiyama M; Bahloul A; Kern R; Meury J; Reshetnyak E; Malki A; Guha S
AU
     Biochimie Genetique, Institut Jacques-Monod, CNRS-Universite Paris-VII,
CS
     France.
SO
     BIOCHIMIE, (1998 Dec) 80 (12) 1043-6.
     Journal code: 1264604. ISSN: 0300-9084.
CY
     France
DT
     Journal; Article; (JOURNAL ARTICLE)
LA
     English
     Priority Journals
FS
EM
     199904
ED
     Entered STN: 19990426
     Last Updated on STN: 19990426
     Entered Medline: 19990413
                                                         DUPLICATE 6
     ANSWER 9 OF 39
                        MEDLINE
```

7/3/02 7·13 PM

ΔN

1998223326

MEDLINE

```
DM
     98223326
                PubMed ID: 9563837
ΤI
     A stable shuttle vector system for efficient genetic complementation of
     Helicobacter pylori strains by transformation and conjugation.
ΑU
     Heuermann D; Haas R
CS
     Max-Planck-Institut fur Biologie, Abteilung Infektionsbiologie, Tubingen,
     Germany.
SO
     MOLECULAR AND GENERAL GENETICS, (1998 Mar) 257 (5) 519-28.
     Journal code: 0125036. ISSN: 0026-8925.
     GERMANY: Germany, Federal Republic of
CY
DT
     Journal; Article; (JOURNAL ARTICLE)
LA
     English
FS
     Priority Journals
EM
     199805
     Entered STN: 19980529
ED
     Last Updated on STN: 19980529
     Entered Medline: 19980515
1,9
     ANSWER 10 OF 39 BIOTECHDS COPYRIGHT 2002 THOMSON DERWENT AND ISI
AN
      1998-00507 BIOTECHDS
TI
      Recombinant Listeria monocytogenes vaccination eliminates papilloma
      virus-induced tumors and prevents papilloma formation from viral DNA;
         rabbit antitumor recombinant vaccine construction
ΑU
      Jensen E R; Selvakumar R; Shen H; Ahmed R; Wettstein F O; *Miller J F
CS
      Univ.California-Inst.Mol.Biol.; Univ.Emory
      Department of Microbiology and Immunology, UCLA School of Medicine, 10833
LO
      Le Conte Ave., Los Angeles, CA 90095-1747, USA.
      Email: jfmiller@ucla.edu
SO
      J. Virol.; (1997) 71, 11, 8467-74
      CODEN: JOVIAM
                       ISSN: 0022-538X
DT
      Journal
      English
LA
=> s 18 (5a) coli
L10
            15 L8 (5A) COLI
=> dup rem 110
PROCESSING COMPLETED FOR L10
              5 DUP REM L10 (10 DUPLICATES REMOVED)
1.11
=> d 1-5
   ANSWER 1 OF 5
L11
                       MEDLINE
                                                         DUPLICATE 1
         Citing
       References
ΝA
     92368165
                  MEDLINE
DN
               PubMed ID: 1503433
TI
     Characterization of two plasmids from Campylobacter jejuni isolates that
     carry the aphA-7 kanamycin resistance determinant.
ΑU
     Tenover F C; Fennell C L; Lee L; LeBlanc D J
CS
     Seattle Veterans Affairs Medical Center, Washington 98108.
SO
     ANTIMICROBIAL AGENTS AND CHEMOTHERAPY, (1992 Apr) 36 (4) 712-6.
     Journal code: 0315061. ISSN: 0066-4804.
CY
     United States
DT
     Journal; Article; (JOURNAL ARTICLE)
LΑ
     English
FS
     Priority Journals
EM
     199209
ED
     Entered STN: 19920925
     Last Updated on STN: 19920925
     Entered Medline: 19920916
L11 ANSWER 2 OF 5
                                                         DUPLICATE 2
```

9 of 12

```
Citing
        References
AN
     91192614
                   MEDLINE
DN
     91192614
                 PubMed ID: 1849496
TI
     Gene expression in Deinococcus radiodurans.
ΑU
     Smith M D; Masters C I; Lennon E; McNeil L B; Minton K W
CS
     Department of Pathology, F.E. Hebert School of Medicine, Uniformed
     Services University of the Health Sciences, Bethesda, MD 20814-4799.
NC
     GM39933 (NIGMS)
SO
     GENE, (1991 Feb 1) 98 (1) 45-52.
     Journal code: 7706761. ISSN: 0378-1119.
CY
     Netherlands
DT
     Journal; Article; (JOURNAL ARTICLE)
LA
     English
FS
     Priority Journals
EM
     199105
ED
     Entered STN: 19910602
     Last Updated on STN: 19990129
     Entered Medline: 19910513
     ANSWER 3 OF 5 HCAPLUS COPYRIGHT 2002 ACS
        References
AN
     1991:158414 HCAPLUS
DN
     114:158414
TI
     Chloramphenicol resistance in Campylobacter coli: nucleotide sequence,
     expression, and cloning vector construction
ΑU
     Wang, Ying; Taylor, Diane E.
CS
     Dep. Microbiol., Univ. Alberta, Edmonton, AB, T6G 2H7, Can.
     Gene (1990), 94(1), 23-8
SO
     CODEN: GENED6; ISSN: 0378-1119
DT
     Journal
     English
LA
     ANSWER 4 OF 5 HCAPLUS COPYRIGHT 2002 ACS
L11
        References
NA
     1989:206750 HCAPLUS
     110:206750
DN
ΤT
     Genetic characterization of kanamycin resistance in Campylobacter coli
ΑU
     Taylor, D. E.; Yan, W.; Ng, L. K.; Manavathu, E. K.; Courvalin, P.
     Dep. Microbiol., Univ. Alberta, Edmonton, AB, T6G 2H7, Can.
CS
SO
     Ann. Inst. Pasteur/Microbiol. (1988), 139(6), 665-76
     CODEN: AIPME3; ISSN: 0769-2609
DT
     Journal
     English
LA
     ANSWER 5 OF 5 HCAPLUS COPYRIGHT 2002 ACS
L11
        Citing
References
ΑN
     1985:216277 HCAPLUS
DN
     102:216277
ΤI
     DNA sequences specifying the transcription of the streptococcal kanamycin
     resistance gene in Escherichia coli and Bacillus subtilis
     Trieu-Cuot, Patrick; Klier, Andre; Courvalin, Patrice
     Lab. Biochim. Microb., Inst. Pasteur, Paris, F-75724, Fr. MGG, Mol. Gen. Genet. (1985), 198(2), 348-52
CS
SO
     CODEN: MGGEAE; ISSN: 0026-8925
DT
     Journal 1
     English
LA
```

=> d 5 ab

L11 ANSWER 5 OF 5 HCAPLUS COPYRIGHT 2002 ACS

10 of 12



AB The kanamycin [8063-07-8]-resistance gene aphA of the streptococcal plasmid pJH1 was cloned into a shuttle vector. Full expression of aphA was obtained in E. coli and B. subtilis. The starting point for aphA transcription, as detd. by S1 nuclease mapping, was located 340 base pairs upstream from the ATG translational initiator codon. The sequence of the promoter consists of the hexanucleotides TTGACA and TATCTT, with a spacing of 17 base pairs. The stability profile of a 600-base-pair DNA fragment contg. the aphA promoter and the translational initiation site indicated that, as already reported for E. coli, both structures are located in domains of weak stability.

=> d 5 ab

L11 ANSWER 5 OF 5 HCAPLUS COPYRIGHT 2002 ACS

Citing References

AB The kanamycin [8063-07-8]-resistance gene aphA of the streptococcal plasmid pJH1 was cloned into a shuttle vector. Full expression of aphA was obtained in E. coli and B. subtilis. The starting point for aphA transcription, as detd. by S1 nuclease mapping, was located 340 base pairs upstream from the ATG translational initiator codon. The sequence of the promoter consists of the hexanucleotides TTGACA and TATCTT, with a spacing of 17 base pairs. The stability profile of a 600-base-pair DNA fragment contg. the aphA promoter and the translational initiation site indicated that, as already reported for E. coli, both structures are located in domains of weak stability.

=> s 11 and usha and apha

L12 2 L1 AND USHA AND APHA

=> dup rem 112

PROCESSING COMPLETED FOR L12

L13 2 DUP REM L12 (0 DUPLICATES REMOVED)

=> d 1,2

L13 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2002 ACS

Full Citing Text References

AN 2002:31102 HCAPLUS

DN 136:97246

- TI Method for producing nucleoside 5'-phosphate ester by fermentation in strain with ushA and aphA gene mutation or disruption
- IN Kakehi, Masahiro; Usuda, Yoshihiro; Tabira, Yukiko; Sugimoto, Shinichi
- PA Ajinomoto Co., Inc., Japan
- SO Eur. Pat. Appl., 17 pp.

CODEN: EPXXDW

DT Patent

LA English

FAN. CNT 1

| PAN. | | T | | | | | | | | | | | | | | | |
|------|---------------|------|-------|------|------------|----------|------|----------------|-----------------|--------|----------|------|------|-------|-----|-----|-----|
| | PATENT NO. | | | | KIND DATE | | | | APPLICATION NO. | | | DATE | | | | | |
| | | | | | | | | | | | | | ~ - | | | | |
| PI | EP 1170370 | | | A2 2 | | 20020109 | | EP 2001-114571 | | | 20010618 | | | | | | |
| | | R: | AT, | BE, | CH, | DE, | DK, | ES, | FR, | GB, GF | R, IT, | LI, | LU | , NL, | SE, | MC, | PT, |
| | | | ΙE, | SI, | LT, | LV, | FI, | RO | | | | | | | | | |
| | BR 2001002671 | | | Α | A 20020305 | | | | BR 2001-2671 | | | | 2001 | 0704 | | | |
| | CN 1335403 | | | Α | 20020213 | | | CN 2001-121740 | | | 20010705 | | | | | | |
| PRAI | JP | 2000 | -2042 | 260 | Α | | 2000 | 0705 | | | | | _ | | | | |
| | | | | | | | | | | | | | | | | | |

L13 ANSWER 2 OF 2 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.



- AN 2000:387548 BIOSIS
- DN PREV200000387548
- TI Essential role of the AphA periplasmic acid phosphatase in utilization of 5'-nucleotides by Escherichia coli purEK ushA phoA mutants.
- Laird, M. W. (1); Passariello, C.; Joly, J. C. (1); Schippa, S.; AU Rossolini, G. M.; Thaller, M. C.
- (1) Department of Cell Culture and Fermentation, R and D Genentech, Inc., San Francisco, CA USA
- SO Abstracts of the General Meeting of the American Society for Microbiology, (2000) Vol. 100, pp. 435-436. print. Meeting Info.: 100th General Meeting of the American Society for

Microbiology Los Angeles, California, USA May 21-25, 2000 American Society for Microbiology

- . ISSN: 1060-2011.
- DT Conference
- English LA
- SLEnglish

=> dis his

(FILE 'HOME' ENTERED AT 18:56:07 ON 03 JUL 2002)

FILE 'MEDLINE, SCISEARCH, LIFESCI, BIOTECHDS, BIOSIS, EMBASE, HCAPLUS, NTIS, ESBIOBASE, BIOTECHNO, WPIDS' ENTERED AT 18:56:25 ON 03 JUL 2002

L117298 S (ESCHERICHIA OR COLI) (5A) (NUCLEOTID? OR NUCLEOSID?) 3 S L1 (5A) USHA **L**₂

 L_3 10 S L1 AND USHA

5 DUP REM L3 (5 DUPLICATES REMOVED) L4

L5 14 S L1 AND APHA

4 DUP REM L5 (10 DUPLICATES REMOVED) L6

L7 0 S KAMAMYCIN (5A) APHA L8

170 S KANAMYCIN (5A) APHA 39 DUP REM L8 (131 DUPLICATES REMOVED) L9

15 S L8 (5A) COLI L10

5 DUP REM L10 (10 DUPLICATES REMOVED) L11

L122 S L1 AND USHA AND APHA

L13 2 DUP REM L12 (0 DUPLICATES REMOVED)

=> log h

| COST IN U.S. DOLLARS | SINCE FILE | TOTAL |
|--|------------|---------|
| | ENTRY | SESSION |
| FULL ESTIMATED COST | 61.73 | 61.94 |
| | | |
| DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) | SINCE FILE | TOTAL |
| | ENTRY | SESSION |
| CA SUBSCRIBER PRICE | -1.24 | -1.24 |

SESSION WILL BE HELD FOR 60 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 19:12:36 ON 03 JUL 2002